

EXPLANATION OF DESIGNATIONS

First sign (letter): Indicates the type of coupling

Ver 1802

A = API-adapter
 AV = Tank Unit (EN 13081)
 B = Ball Valve
 C = Dust Cap
 CA = Dust Cap (ARTA compatible)
 CG = Dust Cap LPG
 D = Swivel
 DD = Double Swivel
 E = Tank Unit with pressure valves
 F = Hose Unit (ISO 45)
 G = Tank Unit (ISO 45)
 GS = Tank Unit (ISO 45) with selectivity
 H = Sampling Vent & Drain Unit
 I = Dust Plug ISO 45
 K = Dust Cap ISO 45

L = Tank Unit LPG
 LC = Tank Unit Cryogenic
 LCT = LNG Truck Fueling
 LL = Tank Unit Aerosol
 M = Hose Unit LPG
 MC = Hose Unit Cryogenic
 ML = Hose Unit Aerosol
 N = Break Away Pin
 NC = Break Away Pin Cryogenic
 NCP = Break Away PERC
 ND = Break Away with int. Swivel
 O = Break Away Wire
 OC = Break Away Wire Cryogenic
 P = Dust Plug
 R = Pressure Cap

RG = Pressure Cap LPG
 S = Hose Unit (STANAG 3756)
 SA = Hose Unit (ARTA Compatible)
 SN = Hose Unit int. Break Away Pin
 SO = Hose Unit int. Break Away Wire
 SU = Hose Unit (Unleaded fuel)
 SS = Hose Unit (Evotek)
 T = Tank Unit (STANAG 3756)
 TA = Tank Unit (ARTA Compatible)
 TU = Tank Unit (Unleaded fuel)
 TS = TANK Unit (Evotek)
 U = Filter / Sight Glass
 V = Dust Plug LPG
 WA = Hose Fittings

Second sign (numeral): Indicates the socket diameter and/or the nominal diameter

1 = 56mm or 1", 1 1/4"
 2 = 70mm or 1 1/2", 2"
 3 = 105mm or 2 1/2"
 4 = 119mm or 3"

5 = 164mm or 4"
 V = 5"
 6 = 238mm or 6"

8 = 272mm or 8"
 10 = 10"
 12 = 12"

Third and fourth sign (numeral): Indicates connection, (thread, flange etc.)

01 = 3/4" BSP (Female)
 02 = 1/2" NPT (Female)
 03 = 1" BSP (Female)
 04 = 1" NPT (Female)
 05 = 1 1/4" BSP (Female)
 06 = 1 1/4" NPT (Female)
 07 = 1 1/2" BSP (Female)
 08 = 1 1/2" NPT (Female)
 09 = 1 3/4" BSP (Female)
 10 = 2" BSP (Female)
 11 = 2" NPT (Female)
 12 = 2 1/2" BSP (Female)
 13 = 2 1/2" NPT (Female)
 14 = 3" BSP (Female)
 15 = 3" NPT (Female)
 16 = 4" BSP (Female)
 17 = 4" NPT (Female)
 18 = Flange undrilled Ø156
 19 = Flange undrilled Ø165
 20 = Flange undrilled Ø210
 21 = Flange undrilled Ø230
 22 = Flange undrilled Ø254
 23 = Flange DN 25 PN 10/16
 24 = Flange DN 25 PN 25/40
 25 = Flange DN 32 PN 10/16
 26 = Flange DN 32 PN 25/40
 27 = Flange DN 40 PN 10/16
 28 = Flange DN 40 PN 25/40
 29 = Flange DN 50 PN 25/40*
 30 = Flange DN 50 PN 10/16
 31 = Flange DN 50 PN 25/40
 32 = Flange DN 65 PN 25/40*
 33 = Flange DN 65 PN 10/16
 34 = Flange DN 65 PN 25/40
 35 = Flange DN 80 PN 25/40*
 36 = Flange DN 80 PN 10/16
 37 = Flange DN 80 PN 25/40
 38 = Flange DN 100 PN 25/40*
 39 = Flange DN 100 PN 10/16
 40 = Flange DN 100 PN 25/40
 41 = Flange DN 125 PN 6
 42 = Flange DN 125 PN 10/16
 43 = Flange DN 125 PN 25/40
 44 = Flange DN 150 PN 6
 45 = Flange DN 150 PN 10/16
 46 = Flange DN 150 PN 25/40
 47 = Flange DN 20 PN 10/16
 48 = Flange DN 20 PN 25/40
 49 = Flange 3/4" ANSI Class 150
 50 = Flange 3/4" ANSI Class 300
 51 = Flange 1" ANSI Class 150
 52 = Flange 1" ANSI Class 300
 53 = Flange 1 1/4" ANSI Class 150
 54 = Flange 1 1/4" ANSI Class 300
 55 = Flange 1 1/2" ANSI Class 150
 56 = Flange 1 1/2" ANSI Class 300
 57 = Flange 2" ANSI Class 150
 58 = Flange 2" ANSI Class 300
 59 = Flange 2 1/2" ANSI Class 150
 60 = Flange 2 1/2" ANSI Class 300
 61 = Flange 3" ANSI Class 150
 62 = Flange 3" ANSI Class 300
 63 = Flange 4" ANSI Class 150
 64 = Flange 4" ANSI Class 300
 65 = Flange TW 1 (3" - DN 80)
 66 = Flange TW 3 (4" - DN 100)
 67 = Flange 3" T.T.M.A.
 68 = Flange 4" T.T.M.A.
 69 = 3/4" BSP (Male)
 70 = 1/2" NPT (Male)
 71 = 1" BSP (Male)
 72 = 1" NPT (Male)
 73 = 1 1/4" BSP (Male)
 74 = 1 1/4" NPT (Male)
 75 = 1 1/2" BSP (Male)
 76 = 1 1/2" NPT (Male)
 77 = 1 3/4" BSP (Male)
 78 = 2" BSP (Male)
 79 = 2" NPT (Male)
 80 = 2 1/2" BSP (Male)
 81 = 2 1/2" NPT (Male)
 82 = 3" BSP (Male)
 83 = 3" NPT (Male)
 84 = 4" BSP (Male)

85 = 4" NPT (Male)
 86 = Weld.flange 2" Ø60,5 inner
 87 = Flange TW 1 (2" DN50)
 88 = Weld.flange 2" Ø50-Ø70 (flat)
 89 = Weld.flange 2" Ø57 (int. chamfer)
 90 = Weld.flange 2" Ø60 (outer chamfer)
 91 = Weld.flange 3" Ø75-Ø90 (flat)
 92 = Weld.flange 3" Ø76 (int. chamfer)
 93 = Weld.flange 3" Ø89 (outer. chamfer)
 94 = Weld.flange 4" Ø100-Ø120 (flat)
 95 = Weld.flange 4" Ø102 (int. chamfer)
 96 = Weld.flange 4" Ø108 (int. chamfer)
 97 = Weld.flange 4" Ø114 (outer. chamfer)
 98 = Flange TW 1 (2" - DN 50) with drain connection
 99 = Flange DN 150 PN 25
 100 = Flange 6" ANSI Class 150
 101 = Flange 6" ANSI Class 300
 102 = Flange DN 200 PN 10
 103 = Flange DN 200 PN 16
 104 = Flange DN 200 PN 25
 105 = Flange 8" ANSI Class 150
 106 = Flange 8" ANSI Class 300
 107 = Flange Square ISO 45
 108 = S60x6 (Female)
 109 = S60x6 (Male)
 110 = 6" BSP (Female)
 111 = 6" NPT (Female)
 112 = W2" - 7 (Female)
 113 = Weld.flange 3" Ø92 inner
 114 = Square flange, 4 holes
 115 = 6" BSP (Male)
 116 = 6" NPT (Male)
 117 = 8" NPT (Female)
 118 = 4" Victaulic
 119 = Flange DN 50 PN 25/40**
 120 = Flange DN 65 PN 25/40**
 121 = Flange DN 80 PN 25/40**
 122 = Flange DN 100 PN 25/40**
 123 = W2" - 7 (Male)
 124 = 5" NPT (Female)
 125 = 5" NPT (Male)
 126 = Flange DN 100 PN6
 127 = Flange DN 80 PN6
 128 = Flange DN 65 PN6
 129 = Flange DN 50 PN6
 130 = Flange 8" ANSI Class 600
 131 = W90x1/6" (Female)
 132 = 1/2" NPT (Female)
 133 = 1/2" BSP (Female)
 134 = Flange Ø184,2, 6 holes
 135 = Flange TW 7 (6" - DN 150)
 136 = 4" ASSPT (Female)
 137 = 1" Triclamp DN 25 (ISO 2852-25 CO)
 138 = M54x 1,5 (Female)
 139 = 2" Triclamp (ISO 2852-51)
 140 = Weld.flange Ø73 (outer chamfer)
 141 = 3" Victaulic
 142 = Flange 5" ANSI Class 150
 143 = 3" Ball valve
 144 = 2" Victaulic
 145 = 3" BSPT (Male)
 146 = 5" Victaulic
 147 = 2" BSPT (Female)
 148 = 2" BSPT (Male)
 149 = 1 1/2" Victaulic
 150 = 2 1/2" Victaulic
 151 = Flange 1" DIN 11864-2
 152 = Flange 2" DIN 11864-2
 153 = Flange Ø135, 8xM6
 154 = 4" BSPT (Female)
 155 = 4" BSPT (Male)
 156 = Weld flange 2" ø61,5 (inner)
 157 = 3" BSPT (Female)
 158 = Weld end 1 1/2" ø48 (outer)
 159 = Thread TR 57x4
 160 = Flange 2" BS10 Table D
 161 = Flange 12" ANSI Class 150
 162 = Flange 10" ANSI Class 150
 163 = Flange DN 250 PN 16
 164 = M130x6 (Female)
 165 = Flange 10" ANSI Class 300
 166 = ACME 1 1/4" (Female)
 167 = ACME 1 1/4" (Female)
 168 = ACME 2 1/4" (Female)

169 = ACME 3/4" (Female)
 170 = ACME 1 1/4" (Male)
 171 = ACME 1 1/4" (Male)
 172 = ACME 2 1/4" (Male)
 173 = ACME 3 1/4" (Male)
 174 = Weld.flange Ø76 (outer. chamfer)
 175 = Flange DN 15 PN 10/16
 176 = Flange DN 15 PN 25/40
 177 = M130x6 (Male)
 178 = Flange 6" T.T.M.A.
 179 = Flange DN 80 PN 25/40***
 180 = 1/2" NPT (Male)
 181 = 1/2" BSP (Male)
 182 = 5" BSP (Female)
 183 = 5" BSP (Male)
 184 = Weld end 8" ø219 (outer)
 185 = Weld end 6" ø168 (outer)
 186 = Flange DN 250 PN 25
 187 = Flange 2" T.T.M.A.
 188 = Flange 3" BS10 Table D
 189 = Flange 1/2" ANSI Class 150
 190 = Flange 1" ANSI Class 150 Flat Face
 191 = Flange 12" ANSI Class 300
 192 = Flange DN250 PN10
 193 = Weld end Ø114 Schedule 40
 194 = Weld end Ø114 Schedule 80
 195 = 6" Victaulic
 196 = 1" Victaulic
 197 = Flange DN 125 JIS 5K
 198 = Flange DN 100 JIS 5K
 199 = Flange DN 80 JIS 5K
 200 = Flange DN 50 JIS 5K
 201 = Flange DN 40 JIS 5K
 202 = Flange 2" DIN 11864-3
 203 = 3/2" BSP (Female)
 204 = Flange Ø110, Ø86/Ø5,5 (6x)
 205 = Weld end Ø60 Schedule 40
 206 = Weld end Ø89 Schedule 80
 207 = Weld end Ø89 Schedule 80
 208 = Flange DN 25 PN 6
 209 = Flange DN 32 PN 6
 210 = Flange DN 40 PN 6
 211 = Flange DN 125 JIS 10K
 212 = Flange DN 100 JIS 10K
 213 = Flange DN 80 JIS 10K
 214 = Flange DN 50 JIS 10K
 215 = Flange DN 40 JIS 10K
 216 = Flange DN 80, holes Ø14 (6x)
 217 = Flange 5" ANSI Class 300
 218 = 3" Triclamp (ISO 2852-76)
 219 = Weld end Ø34 Schedule 40
 220 = Flange DN 150 JIS 10K
 221 = Flange Ø175, holes M10 (8x)
 222 = Weld end Ø140 PN10/16
 223 = Flange 2" ANSI Class 150 Flat Face
 224 = Flange DN 200 JIS 10K
 225 = Flange DN 32 PN10/16***
 226 = Flange 6" ANSI Class 600
 227 = Flange DN 50 JIS 16K
 228 = Flange DN 40 JIS 16K
 229 = 8" NPT (Male)
 230 = 1" EN 10226 Rp1 (1" BSPT Parallel)
 231 = Flange DIN 86282 PN6
 232 = Flange DN100 PN6 (8 x M16)
 233 = Flange DN 100 PN 10/16 Eccentric Flat Face
 234 = Flange 4" ANSI Class 150 Flat Face
 235 = 4" Triclamp (ISO 2852-102)
 236 = 5/2" DIN 11 (Female)
 237 = Flange DN 300 PN 16
 238 = Flange DN 300 PN 10
 239 = 1 1/2" BSPT (Female)
 240 = 1 1/2" BSPT (Male)
 241 = 1 1/2" EN 10226 Rp1 1/2 (1 1/2" BSPT Parallel)
 242 = Weld end Ø141 Schedule 40
 243 = 1/2" - 3/4" Triclamp (ISO 2852)
 244 = 1,3125 UN 2 A
 245 = Weld flange 4" ø110 (inner)
 246 = 3" RJT BS 4825-5
 247 = 4" Hose shank (Ø101,6 x 116 mm)
 248 = Flange 3" DIN 86201
 249 = Flange DN 80 DIN 5620
 250 = 3/4" Withworth (Female)
 ,continues on next page >>>>

No part of this leaflet may be reproduced in any form or by any means without permission in writing from the publisher

Design may change without notice

* EN 1092-1:2001 Type E: Spigot

** EN 1092-1:2001 Type F

*** EN 1092-1:2001 Type C

NOTE! When swivels are chosen, the second and the third sign indicates one outlet, the fourth and the fifth sign the second outlet.

©Mann Teknik 2017

EXPLANATION OF DESIGNATIONS

Ver 1802

.continuation..Third and fourth sign (numeral): Indicates connection, (thread, flange etc.)

251 = Flange DN 65 JIS 10K	266 = 1 1/2" Triclamp (ISO 2852-40)	281 = Flange Ø120, 4 slot (Rusflange)
252 = Flange DN 50 PN 25/40 EN 1092-1 Type D	267 = Flange DN 50 PN 16 Type F Gost P54432-2011	282 = 2 1/2" Triclamp (ISO 2852-63,5)
253 = Flange DN 32 PN 25/40 ***	268 = Flange DN 80 PN 16 Type F Gost P54432-2011	283 = Flange 2 1/2" DIN 11864-2 BF A
254 = Flange 2" ANSI Class 150 (JIS thickness)	269 = Weld.flange 3" Ø76 x 12 mm (int. chamfer)	284 = Flange 2 1/2" DIN 11864-2 NF A
255 = Flange 3" ANSI Class 600	270 = 6" BSPT (Female)	285 = Flange 1" ANSI Class 600
256 = Flange DN 50 PN10/16 ***	271 = 1 7/8" SAE J1926-1 port	
257 = M72 x 3 (male)	272 = 2 1/2" SAE J1926-1 port	
258 = Flange DN 25 JIS 10K	273 = Camlock DN 50 EN 14420-7	
259 = Flange DN 50 PN25/40 ***	274 = ORB-24 ISO 11926-1, male	
260 = Flange 3" ANSI Class 150 Flat Face	275 = ORB-32 ISO 11926-1, male	
261 = 4" Hose shank (Ø101,6 x 161 mm)	276 = Flange 2" BS10 Table H	
262 = 5" Hose shank (Ø126,6 x 183 mm)	277 = Thread TR 69x8 DIN 103 LH Male	
263 = Flange 2" ANSI Class 300 (RTJ)	278 = Flange 1" BS10 Table D	
264 = Flange 2" ANSI Class 1500 (RTJ)	279 = Thread TR 69x8 DIN 103 LH Female	
265 = 4" Hose shank (King Crimp HD)	280 = Flange DIN 150 JIS 16K	

* EN 1092-1:2001 Type E: Spigot

** EN 1092-1:2001 Type F

*** EN 1092-1:2001 Type C

Fifth sign (letter): Indicates version

A = Version No.1 (Machined from bar)	G = Drain connection	N = Non Return Valve
B = Version No.2 (Casted)	H = Leaf spring lock	O = Slim version Break Away
C = Version No.3 (Kokill casted)	I = Bended Tank Unit Short (15°)	P = Pressure (Custom)
D = Sep. piston guide	J = Bended Tank Unit (15°)	S = Sight Glass
E = Injection moulded	K = Short Tank Unit/Swivel	T = Transparent
F = 6" Flange Hydrant	L = Long Tank Unit/Swivel	U = Stop before disconnected
		V = Screw on flange

Sixth sign (numeral): Indicates material in the coupling body

1 = Aluminium	7 = Hastelloy (276)	N = Alloy 20 (SS)
2 = Brass	8 = PVDF	P = Super Duplex (F55)
3 = Steel	9 = PEEK	Q = Hastelloy (C22)
4 = Stainless steel A4 (316)	K = Inconel	R = Monel 400
5 = Stainless steel A2 (304)	L = Duplex (F51)	S = F44 (SS)
6 = Titan	M = Super Duplex (F53)	T = Navy M Bronze (C92200)

Seventn sign (numeral): Indicates material in the innerparts or other components

1 = Aluminium	7 = Hastelloy	N = Alloy 20 (SS)
2 = Brass	8 = PVDF	P = Super Duplex (F55)
3 = Steel	9 = PEEK	Q = Hastelloy (C22)
4 = Stainless steel A4 (316)	K = Inconel	R = Monel 400
5 = Stainless steel A2 (304)	L = Duplex (F51)	S = F44 (SS)
6 = Titan	M = Super Duplex (F53)	T = Navy M Bronze (C92200)

Eight and Ninth sign (numeral): Indicates the O-ring material in the coupling

01 = Viton® (FPM/FKM)	18 = Xyflour® 860 (AFKM)	40 = FEP PTFE encapsulated Viton®
02 = Nitrile (NBR)	19 = Zetpol® / Therban® (HNBR)	41 = FPM/FKM for Sour Service
03 = EPDM	20 = NBR 90 shore	47 = Chemraz 605 High Temp
04 = Kalrez® (FFKM)	21 = Viton®-GF (Special Viton quality)	50 = Kalrez® (PFPM) 1050LF
05 = NBR Low temp	22 = Composite	51 = Nylon® (PA)
06 = Teflon® (PTFE)	23 = Viton® GFLT-S	57 = Chemraz® 526
07 = Neoprene® (CR)	24 = Viton® GLT	61 = Viton® (FPM), FDA, USP
08 = Silicone (VMQ)	25 = Klingerit®	62 = Nitrile (NBR), FDA, USP
09 = Vulkollan® (PUR)	26 = POM	63 = EPDM, FDA, USP C6 & ADI
10 = Butyl (IIR)	27 = Epichlorhydrin (ECO)	64 = Kalrez® (FFKM) 6230, FDA, USP C6
11 = Nitrile (Gasol NBR 70 K-6)	28 = Viton® GFLT-S NMO	66 = PTFE (Virgin), FDA
12 = Perfluorelastomer (FFPM/FFKM)	29 = FPM/FKM High Temp	71 = FPM/FKM Low Temp
13 = PVC / NBR	31 = Viton® 90 Shore (FPM/FKM)	75 = FEP Silicone, FDA, USP C6 & ADI
14 = Fluorsilicone rubber (FVMQ)	32 = Kalrez® 0090	77 = Chemraz® SD517, FDA, USP C6 & ADI
15 = FEP encapsulated silicone	33 = EPDM 291	83 = EPDM BAM
16 = Hypalon® (CSM)	34 = Kalrez® 0040	
17 = Chemraz® 505 (FFKM)	37 = Chemraz® 510 (90 Shore)	
	39 = HNBR-AED/RGD	

Tenth sign (letter): Used for extra

A = Flat seal, Teflon®(PTFE)	M = Modified Cam Curve	V = Locking house unit
B = Flat seal, Vulkollan®(PUR)	N = No Branding	VC = Vaccuum
C = 2-way Ball Valve	NA = No Actuator (Ball Valve)	W = Double ball race
D = Flat seal, Viton® (FPM)	P = Pressure Equalizing Valve	X = Special surface treatment
DA = Double Acting (Ball Valve)	Q = Reduced bore diameter (Argus,Hydrant)	Z = Eccentric tank unit
E = None projecting piston spindle	R = Hose unit with int. Break Away	-RA = Racing
F = Flange thickness acc. to standard	S = Single Argus valve (Hydrant)	-LC = Locking Cap
FF = Flat Face Flange	SR = Spring Return (Ball Valve)	-S = FEP O-ring in Hose Unit swivel
G = Hypalon	T = TW-Flange extended circles	-ST = Steam
H = Nitrile (NBR)	U = Pressure Bleeding Valve 16 bar	-XL = Oversized swivel
I = Emco comp	U5 = Pressure Bleeding valve 5 bar	-45 = 45 Mesh
J = EPDM	U10 = Pressure Bleeding Valve 10 bar	-60 = 60 Mesh
K = Locked piston guide	U20 = Pressure Bleeding valve 20 bar	-10 = 100 Mesh
L = Locked thread		

No part of this leaflet may be reproduced in any form or by any means without permission in writing from the publisher.

Design may change without notice

©Mann Teknik 2017

Selection of registered trade names from Messrs BASF, Bayer AG, B.F. Goodrich, Chemische Werke Hüls, Daikin, Dow Company, DSM, Du Pont, DuPont Dow Elastomers, Esso Chemie, Hercules, Hoechst AG, Montedison, Monteflous, Nippon Zeon, Polysar LTD., Rhone Poulenc, 3 M Company, Wacker Chemie, Precision Polymer Engineering Ltd.